

35089 BONDI 1



General Information

Material number	35089
EAN/UPC	9002759350895
Type	ceiling fan & light

Dimensions

Article Diameter (in mm)	1220
Article Height (in mm)	335
Canopy Height (in mm)	58
Canopy Diameter (in mm)	150
Net Weight (in kg)	6.9 Kilogram
Gross Weight	7.979 Kilogram
Single-Box Height (in mm)	325
Single-Box Length (in mm)	560
Single-Box Depth (in mm)	298

Fan

Motor Type	AC
Motor dimension in MM (Ø x H)	172X14
Motor Wattage	52
Adjustable Canopy	15°
Blade pitch in degree	9, 5°
Blade Quantity	4
Protection Degree	IP20
Mains Voltage	220-240V, 50Hz

Functions

Function	reversible 3 speeds
----------	------------------------

Material & Colour

Blade Material	ABS, UV Resistant
Blade Colour (1)	white matt
Canopy Material	ABS, UV Resistant
Canopy Colour	white matt
Enclosure Material	ABS, UV Resistant
Enclosure Colour	matte white
Glass/Shade Material	acrylic
Glass/Shade Colour	milky

Performance

Wattage by air movement (3)	50.23
RPM (3)	235
Air Movement m ³ /Hr (3)	12966

Illuminant

Illuminant Type (1)	LED
max. Wattage (1)	1X20W
Lumen Complete	2400
Light colour Complete	TRICOLOUR
Suitable for LM EEI ERP1.0	A++ - A

Energy Information

Maximum fan flow rate (F) in m ³ /min	216,10
Fan power input (P) in W	50,23
Service value (SV) in (m ³ /min)/W (acc. IEC 60879:1986)	4,30
Fan sound power level (LWA) in db(A)	52
Maximum air velocity (c) in m/s	3,26

35089 BONDI 1



52 W

12966
m³/h

15°

1X20
W

